

# Plants and garden accessories



Flower pot holder..... p. 74

Geotextile covers fastening..... p. 75

Fixing accessories..... p. 76

Tubes assembly..... p. 77

Plants and garden  
accessories



# Flower pot holder



## Fix'Plant

Made of hot-dip galvanized steel wire, the pot holder, practical and aesthetic, prevents potted plants from falling due to the wind.

Description	Dim./volume	Reference	Packaging
Fix'Plant N° 0 round	H = 90 - Ø sup = 165 Ø base = 260 / 2L	699999-042	50
Fix'Plant N° 1 round	H = 90 - Ø sup = 180 Ø base = 260 / 2-3L	700000-042	50
Fix'Plant N° 2 round	H = 90 - Ø sup = 180 Ø base = 310 / 2-3L	700002-042	50
Fix'Plant N° 3 round	H = 100 - Ø sup = 190 Ø base = 310 / 3-4L	700003-042	50
Fix'Plant N° 4 round	H = 100 - Ø sup = 200 Ø base = 310 / 4-5L	700004-042	50
Fix'Plant N° 6 square	H = 140 - l sup = 240 L base = 420 / 7,5L	700006-042	50
Fix'Plant N° 7 square	H = 165 - l sup = 230 L base = 420 / 7,5L	700007-042	50
Fix'Plant N° 9 square	H = 150 - l sup = 260 L base = 420 / 10L	700009-042	50
Fix'Plant N° 10 square	H = 185 - l sup = 250 L base = 420 / 10L	700010-042	50



Round flower pot holder. Scan to view the video.



# Geotextile covers fastening

## Holding disk

Disk made of galvanized steel, combined with a hammered anchor.

Allows to maintain geotextile covers.

Description	Reference	Packaging
Disk: Ø 154 x 2 mm	154-044	50
Hammered anchor: 350 mm*	350-047	50

\*More anchor and tools: see page 14.



Holding disk on geotextile cover.



## Holding staple

Made of galvanized steel wire.

In "U" shape, diameter 3 or 5.2 mm.


To maintain geotextile covers.

Description	Dimension	Reference	Packaging
Staple Ø 3 mm	200 x 30 x 160 mm*	10200-044	-
Staple Ø 5.2 mm	On request	-	-

\*Other sizes and shapes: on request.



Protective felt around a tree fixed by staple.



# Fixing accessories

## Border anchoring

Requires a pre-drilling of Ø 24 mm in the element.  
Is used for fixing borders, wooden edge in landscaping, parking wheel stops.

Anchor	Reference	Packaging
350 mm hammered anchor	350-047	50
500 mm hammered anchor	511-044	50

Tools, see page 14.



## Synthetic turf attachments

Allows holding synthetic turf.

Description	Dimension	Reference	Packaging
Galvanized U-shaped staple	200 x 30 x 160*	10200-044	100
Aluminium tip	Ø 5 x 120 mm	15120-017	100
Green washer	Ø 25 mm	10008-047	100

\*Other sizes and shapes: on request.




# Tubes assembly

## Single tube stirrup bolt

The single tube stirrup bolt allows the fixing of 2 elements for the installation of a structure. Made of galvanized steel.

Supplied with nut. Available in Ø 6, Ø 7 or Ø 8 mm.

Stirrup bolt dimensions and plate: on request.




## Double tube stirrup bolt

The double tube stirrup bolt allows to fixe two tubes or two wooden posts perpendicularly. Made of galvanized steel.

Supplied with nut.

Available in Ø 8 mm.



## Tube attach on ground

Allows the tube to be kept on the ground. Made of galvanized steel.

To be associated with a hammered anchor. To place if possible staggered along the tube.

Description	For tube	Reference	Packaging
"U" shape attach	≤ Ø 32 mm	620001-044	100
Open attach	≤ Ø 32 mm	32-044	100
"U" shape attach in wire*	Ø 42 mm	42-044	100

\*Other diameters consult us.



## Standard hammered anchors

Made of hot-dip galvanized steel (inside and outside) according to NF EN ISO 1461 standard (see page 91).

With a Ø 17 mm body and a Ø 30 mm collar. Easy to install with a simple hammer, the hammered anchor with its 3 anchoring rods that can be deployed in the ground, offers incomparable resistance to pull out. Thanks to a massive rid in high resistant steel who allows an easy placement, the anchor is particularly recommended for hard and stony soils.

Length	Reference anchor	Reference driving tool <sup>(1)</sup>	Reference sleeve <sup>(2)</sup>	Anchors packaging
350 mm	350-047	130-047	20350-047	50
500 mm	511-044	80-044	20510-047	50
600 mm	611-044	180-044	20610-047	50

